

## EDMONDS SCHOOL DISTRICT NO. 15

**TO: Parents of Edmonds School District Students**  
**FROM: Educational Health Services Department**

This **Certificate of Immunization Status** must be submitted **on or before the first day of school** in order for your child to attend school. Washington State Law (RCW 28A.210.060-170) requires certification of immunization for all school children.

The **minimum** immunization requirements for the school attendance are listed on this form.

1. **Complete the Certificate of Immunization Status** by:

- Entering the month, day and year when each required dose of a vaccine was given. (If you do not know the specific day, the Health Services professional will assume the first of the month.)

**OR**

- **Notifying the school that a schedule of immunization has been started** and will be completed in accord with your health care provider's recommended schedule. Immunizations are available from your private health care provider or you may obtain them from:

Snohomish Health District – South County Clinic Phone: 425-775-3522  
6101 200th St. SW, Lynnwood, WA 98036

- Please contact the clinic for an appointment
- Parent and/or Legal Guardian must accompany the child
- DSHS/Medicaid recipients should go to their assigned provider for immunization (Bring records of your child's immunization to Snohomish Health District to assure that your child receives the correct vaccine.)

**OR**

- **Complete a Certificate of Exemption (C.O.E.) in addition to the Certification of Immunization**

BE AWARE-- If there is an outbreak at school of any vaccine-preventable disease for which your student is exempted, your student will be excluded from school for the duration of the outbreak.

2. **Sign the certificate(s)** indicating your information is correct.

Please contact your child's school if you need further assistance in completing the certificate.



# Certificate of Immunization Status (CIS)

DOH 348-013 January 2010

<b>Office Use Only:</b>	
Reviewed by: _____	Date: _____
Signed Cert. of Exemption on file? <input type="checkbox"/> Yes <input type="checkbox"/> No	

Please print. See back for instructions on how to fill out this form or get it printed from the Immunization Registry.

<b>Child's Last Name:</b> _____	<b>First Name:</b> _____	<b>Middle Initial:</b> _____	<b>Birthdate (mm/dd/yyyy):</b> _____	<b>Sex:</b> _____	<b>I certify that the information provided on this form is correct and verifiable.</b>
Symbols below: ◆ Required for School and Child Care/Preschool ● Required for Child Care/Preschool Only				<b>Parent/Guardian Name (please print):</b> _____	

Vaccine	Dose	Date		
		Month	Day	Year
<b>◆ Hepatitis B (Hep B)</b>				
	1			
	2			
	3			
or Hep B - 2 dose alternate schedule for teens				
	1			
	2			
<b>Rotavirus (RV1, RV5)</b>				
	1			
	2			
	3			
<b>◆ Diphtheria, Tetanus, Pertussis (DTaP, DTP, DT)</b>				
	1			
	2			
	3			
	4			
	5			
<b>◆ Tetanus, Diphtheria, Pertussis (Tdap, Td)</b>				
	1			
	2			
<b>● Haemophilus influenzae type b (Hib)</b>				
	1			
	2			
	3			
	4			
<b>● Pneumococcal (PCV, PPSV)</b>				
	1			
	2			
	3			
	4			

Vaccine	Dose	Date		
		Month	Day	Year
<b>◆ Polio (IPV, OPV)</b>				
	1			
	2			
	3			
	4			
<b>Influenza (flu, most recent)</b>				
<b>◆ Measles, Mumps, Rubella (MMR)</b>				
	1			
	2			
<b>◆ Varicella (chickenpox) or verify disease 1-4 ▶</b>				
	1			
	2			
<b>Hepatitis A (Hep A)</b>				
	1			
	2			
<b>Meningococcal (MCV, MPSV)</b>				
	1			
<b>Human Papillomavirus (HPV)</b>				
	1			
	2			
	3			
<b>Office Use Only: Immunization information updated and verified with parent/guardian permission:</b>				
Printed Staff Name	Date	Printed Staff Name	Date	
Printed Staff Name	Date	Printed Staff Name	Date	

If the child named on this CIS had chickenpox disease (and not the vaccine), disease history must be verified. **Mark option 1, 2, 3, OR 4 below – see, back #5.**

**1)  Chickenpox disease verified by printout from CHILD Profile Immunization Registry**  
Must be marked by printout (not by hand) to be valid.

**2)  Chickenpox disease verified by Health Care Provider (HCP)**  
If you choose this box, mark 2A OR 2B below.  
 2A)  Signed note from HCP attached OR  
 2B)  HCP signed here and print name below:  
 \_\_\_\_\_  
 Licensed health care provider (HCP) Signature \_\_\_\_\_ Date \_\_\_\_\_  
 (MD, DO, ND, PA, ARNP)  
 HCP Printed Name: \_\_\_\_\_

**3)  Chickenpox disease verified by school staff from CHILD Profile Immunization Registry**  
If you choose this box, staff must initial that parent or guardian approves: \_\_\_\_\_ (initial) \_\_\_\_\_ (date)

**4)  Chickenpox disease verified by parent\***  
If you choose this box, fill in the date or child's age when he or she had the disease:  
 Age/Date of disease: \_\_\_\_\_  
 \*Can ONLY verify for some grades, see back #5 (4).

**If the child can show immunity by blood test (titer) and hasn't had the vaccine, ask your HCP to fill in this box.**  
**Documentation of Disease Immunity**

I certify that the child named on this CIS has laboratory evidence of immunity (titer) to the diseases marked. **Signed lab report(s) MUST also be attached.**

<input type="checkbox"/> Diphtheria	<input type="checkbox"/> Mumps	<input type="checkbox"/> Other: _____
<input type="checkbox"/> Hepatitis A	<input type="checkbox"/> Polio	
<input type="checkbox"/> Hepatitis B	<input type="checkbox"/> Rubella	
<input type="checkbox"/> Hib	<input type="checkbox"/> Tetanus	
<input type="checkbox"/> Measles	<input type="checkbox"/> Varicella	

Licensed health care provider (HCP) Signature \_\_\_\_\_ Date \_\_\_\_\_  
 (MD, DO, ND, PA, ARNP)  
 HCP Printed Name: \_\_\_\_\_

**Instructions for completing the Certificate of Immunization Status (CIS): printing it from the Immunization Registry or filling it in by hand.**

**#1 To print with info filled in:** First, ask if your health care provider's office puts vaccination history into the CHILD Profile Immunization Registry (Washington's statewide database). If they do, ask them to print the CIS from CHILD Profile and your child's information will fill in automatically. **Be sure** to review all the information, **sign and date the CIS** in the upper right hand box, and return it to school or child care. If your provider's office does not use CHILD Profile, ask for a copy of your child's vaccine record so you can fill it in by hand using steps #2-7 (below):

**EXAMPLE**

**#2 To fill in by hand:** Print your child's name, birthdate, sex, and your own name in the top box.

**#3** Write each vaccine your child received under the correct disease. Write the vaccine type under the "Vaccine" column and the date each dose was received in the "Month," "Day," and "Year" columns (as mm/dd/yyyy). For example, if DTaP was received Jan 12, March 20, June 1, '11, fill in as shown here ▶

Vaccine	Dose	Date		
		Month	Day	Year
<b>◆ Diphtheria, Tetanus, Pertussis (DTaP, DTP, DT)</b>				
DTaP	<b>1</b>	01	12	2011
DTaP	<b>2</b>	03	20	2011
DTaP	<b>3</b>	06	01	2011

**#4** If your child receives a combination vaccine (one shot that protects against several diseases), use the Reference Guide below to record each vaccine correctly. For example, record Pediarix under Diphtheria, Tetanus, Pertussis as **DTaP**, Hepatitis B as **Hep B**, and Polio as **IPV**.

**#5** If your child has had chickenpox (varicella) disease and not the vaccine, **use only one** of these four options to record this on the CIS:

- 1)  If your child's CIS is printed directly from the CHILD Profile Immunization Registry (by your health care provider or school system), and disease verification is found, box 1 is automatically marked. To be valid, this box must be marked by the Immunization Registry printout (not by hand).
- 2)  If your health care provider (HCP) can verify that your child has had chickenpox, mark box 2. Then mark either 2A to attach a signed note from your HCP, or 2B if your HCP signs and dates in the space provided. Be sure your HCP's full name is also printed.
- 3)  If school staff access the CHILD Profile Immunization Registry and see verification that your child has had chickenpox, they will mark box 3. Then, they must initial and date that they got parent or guardian approval to mark this box (i.e. make this change) to the CIS.
- 4)  If your child started kindergarten in the 2008-2009 school year or later, you **CANNOT** use this box. If your child started kindergarten before the 08-09 school year, mark this box if you know he or she has had chickenpox. If you mark box 4, you must also write the approximate age or date your child had chickenpox. To find out which grades require chickenpox vaccine (or history), visit: <http://www.doh.wa.gov/cfh/immunize/schools/vaccine.htm>

**#6** Documentation of Disease Immunity: If your child can show immunity by blood test (titer) and has not had the vaccine, have your health care provider (HCP) fill in this box. Ask your HCP to mark the disease(s), sign, date, print his or her name in the space provided, and **attach signed lab reports**.

**#7** Be sure to **sign and date the CIS** in the upper right hand box, and return to school or child care.

**#8** If a school or child care makes a change to your CIS, staff will print their name in the middle bottom box and date to show that you gave approval.

Vaccine Trade Names in alphabetical order (For updated lists, visit <a href="http://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/us-vaccines-508.pdf">http://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/us-vaccines-508.pdf</a> )									
Trade Name	Vaccine	Trade Name	Vaccine	Trade Name	Vaccine	Trade Name	Vaccine	Trade Name	Vaccine
ActHIB	Hib	Engerix-B	Hep B	Ipol	IPV	Pentavalente	DTaP + Hep B + Hib	TriHIBit	DTaP + Hib
Adacel	Tdap	Fluarix	Flu (TIV)	Infanrix	DTaP	Pneumovax	PPSV or PPV23	Tripedia	DTaP
Afluria	Flu (TIV)	FluLaval	Flu (TIV)	Kinrix (Knrx)	DTaP + IPV	Prevnar	PCV or PCV7 or PCV13	Twinrix (Twnrx)	Hep A + Hep B
Boostrix	Tdap	FluMist	Flu (LAIV)	Menaetra	MCV or MCV4	ProQuad (PrQd)	MMR + Varicella	Vaqa	Hep A
Cervarix	HPV2	Fluvirin	Flu (TIV)	Menomune	MPSV or MPSV4	Quadracel (Qdrel)	DTaP + IPV	Varivax	Varicella
Comvax (Cmvx)	Hep B + Hib	Fluzone	Flu (TIV)	Pediarix (Pdrx)	DTaP + Hep B + IPV	Recombivax HB	Hep B		
Daptacel	DTaP	Gardasil	HPV4	PedvaxHIB	Hib	Rotarix	Rotavirus (RV1)		
Decavac	Td	Havrix	Hep A	Pentacel (Pntcl)	DTaP + Hib + IPV	RotaTeq	Rotavirus (RV5)		

Vaccine Abbreviations in alphabetical order (For updated lists, visit <a href="http://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/us-vaccines-508.pdf">http://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/us-vaccines-508.pdf</a> )							
Abbreviations	Full Vaccine Name	Abbreviations	Full Vaccine Name	Abbreviations	Full Vaccine Name	Abbreviations	Full Vaccine Name
DT	Diphtheria, Tetanus	Hep A (HAV) Hep B (HBV)	Hepatitis A Hepatitis B	MPSV or MPSV4	Meningococcal Polysaccharide Vaccine	Rota (RV1 or RV5)	Rotavirus
DTaP	Diphtheria, Tetanus, acellular Pertussis	Hib	<i>Haemophilus influenzae</i> type b	MMR / MMRV	Measles, Mumps, Rubella / with Varicella	Td	Tetanus, Diphtheria
DTP	Diphtheria, Tetanus, Pertussis	HPV	Human Papillomavirus	OPV	Oral Poliovirus Vaccine	Tdap	Tetanus, Diphtheria, acellular Pertussis
Flu (TIV or LAIV)	Influenza	IPV	Inactivated Poliovirus Vaccine	PCV or PCV7 or PCV13	Pneumococcal Conjugate Vaccine	TIG	Tetanus immune globulin
HBIG	Hepatitis B Immune Globulin	MCV or MCV4	Meningococcal Conjugate Vaccine	PPSV or PPV23	Pneumococcal Polysaccharide Vaccine	VAR or VZV	Varicella

2010-01-13 05:10



## VACCINES REQUIRED FOR SCHOOL ATTENDANCE, GRADES K-12

July 1, 2013 – June 30, 2014

VACCINE	Kindergarten-2 <sup>nd</sup> Grade	3 <sup>rd</sup> -5 <sup>th</sup> Grade	6 <sup>th</sup> Grade	7 <sup>th</sup> -12 <sup>th</sup> Grade
<b>Hepatitis B</b>	<b>3 doses</b> See minimum intervals on page 2 Dose 3 must be given $\geq 24$ weeks of age			<b>3 doses</b> See minimum intervals on page 2 Dose 3 must be given $\geq 4$ months of age
<b>Diphtheria, Tetanus, and Pertussis (DTaP/DT/Td/Tdap)</b>	<b>5 doses</b> (4 doses required IF 4 <sup>th</sup> dose given $\geq 4^{\text{th}}$ birthday)  <i>plus</i>  <b>1 dose Tdap required for 6<sup>th</sup>-12<sup>th</sup> grade IF <math>\geq 11</math> years old</b>			
<b>Polio (IPV or OPV)</b>	<b>4 doses</b> (3 doses only IF 3 <sup>rd</sup> dose given $\geq 4^{\text{th}}$ birthday) <ul style="list-style-type: none"> <li>The final dose given on or after August 7, 2009 must be given at a minimum of 4 years of age AND a minimum interval of 6 months from the previous dose.</li> </ul>	<b>4 doses</b> (3 doses only IF 3 <sup>rd</sup> dose given $\geq 4^{\text{th}}$ birthday)		
<b>Measles, Mumps, and Rubella</b>	<b>2 doses</b>			
<b>Varicella</b>	<b>2 doses</b>  <b>OR</b>  Healthcare provider verifies disease	<b>1 dose</b>  <b>OR</b>  Parent verifies disease	<b>Recommended</b> , but not required.	

- Look at the Minimum Age and Interval Table on page 2 for recommended minimum age and spacing information.
- Review the Individual Vaccine Requirements Summary for more detailed information: [www.doh.wa.gov/Portals/1/Documents/Pubs/348-284-IndividualVaccineRequirements.pdf](http://www.doh.wa.gov/Portals/1/Documents/Pubs/348-284-IndividualVaccineRequirements.pdf)

## Minimum Age & Interval for Valid Vaccine Doses

Vaccine	Dose #	Minimum Age	Minimum Interval Between Doses	Notes
Hepatitis B <b>HepB</b>	Dose 1	Birth	4 weeks between Dose 1 & 2 (K-12 <sup>th</sup> )	<ul style="list-style-type: none"> <li>▪ Note minimum age and interval changes for 2013-14 school year.</li> <li>▪ 2 doses valid if adult Recombivax HB<sup>®</sup> given between ages 11 and 15 and doses separated by ≥4 months.</li> </ul>
	Dose 2	4 weeks	8 weeks between Dose 2 & 3 (K-12 <sup>th</sup> )	
	Dose 3	24 weeks (K-6 <sup>th</sup> ) 4 months (7 <sup>th</sup> -12 <sup>th</sup> )	16 weeks between Dose 1 & 3 (K-6 <sup>th</sup> ) No minimum interval between Dose 1 & 3 (7 <sup>th</sup> -12 <sup>th</sup> )	
Diphtheria, Tetanus, and Pertussis <b>DTaP/DT</b>	Dose 1	6 weeks	4 weeks between Dose 1 & 2	<ul style="list-style-type: none"> <li>▪ DTaP: for children through age 6.</li> <li>▪ Recommended to have 6 months between Dose 3 and Dose 4, but ≥4 months acceptable.</li> </ul>
	Dose 2	10 weeks	4 weeks between Dose 2 & 3	
	Dose 3	14 weeks	6 months between Dose 3 & 4	
	Dose 4	12 months	6 months between Dose 4 & 5	
	Dose 5	4 years	–	
Tetanus, Diphtheria, and Pertussis <b>Tdap</b>	Dose 1	10 years (minimum age depends on vaccine brand)	–	<ul style="list-style-type: none"> <li>▪ Boostrix<sup>®</sup>: licensed for ≥10 year olds; Adacel<sup>®</sup>: licensed for ≥11 year olds.</li> <li>▪ Can be given regardless of the interval between DTaP or Td.</li> <li>▪ Students 7-10 years of age not fully immunized with DTaP or Td should get one Tdap followed by additional doses of Td if needed.</li> </ul>
Tetanus and Diphtheria <b>Td</b>	Dose 1	7 years	5 years	<ul style="list-style-type: none"> <li>▪ Td: for children ≥7 years of age.</li> <li>▪ 3 doses of Td required, if starting series ≥7 years, with a single dose of Tdap preferred as the first dose.</li> </ul>
Polio <b>IPV or OPV</b>	Dose 1	6 weeks	4 weeks between Dose 1 & 2	<ul style="list-style-type: none"> <li>▪ Not required for students 18 years and older.</li> <li>▪ If a student got all doses before August 7, 2009: 4 week minimum interval must separate all doses and minimum age must be ≥18 weeks.</li> </ul>
	Dose 2	10 weeks	4 weeks between Dose 2 & 3	
	Dose 3	14 weeks	6 months between Dose 3 & 4	
	Dose 4	4 years	–	
Measles, Mumps, and Rubella <b>MMR</b>	Dose 1	12 months	4 weeks between Dose 1 & 2	<ul style="list-style-type: none"> <li>▪ MMRV (MMR + varicella) may be used instead of separate MMR and varicella vaccines.</li> <li>▪ 4-day grace <b>DOES</b> apply between doses of the same live vaccine such as MMR/MMR or MMRV/MMRV. The 4 day grace period <b>DOES NOT</b> apply between Dose 1 and Dose 2 of different live vaccines, such as between MMR and Varicella or between MMR and live flu vaccine.</li> </ul>
	Dose 2	13 months	–	
Varicella (chickenpox) <b>VAR</b>	Dose 1	12 months	3 months between Dose 1 & 2	<ul style="list-style-type: none"> <li>▪ Recommended: 3 months between varicella doses, but ≥28 days acceptable.</li> <li>▪ Must get the same day as MMR <b>OR</b> ≥ 28 days apart. (4-day grace <b>DOES NOT</b> apply).</li> <li>▪ 4-day grace <b>DOES</b> apply between doses of the same live vaccine such as VAR and VAR).</li> </ul>
	Dose 2	15 months	–	

If you have a disability and need this document in another format, please call 1-800-525-0127 (TDD/TTY call 711)

DOH 348-051 January 2013